

# 2011 Data tables

The 2011 Data Tables are an indicator supplement to Kinross' 2011 Corporate Responsibility Report and represent our 2011 corporate responsibility performance based on the criteria of Global Reporting Initiative G3 Guidelines. Available performance data is reported both on a corporate-wide and site-specific basis for the last five fiscal years ended December 31st for 2011, 2010, 2009, 2008, and 2007.

Environmental indicators for energy, greenhouse gases, water use, water, materials use and waste are reported on an equity-basis as per Kinross' share of ownership as follows: Round Mountain (50%), Kupol (75% until April 27, 2011 and 100% ownership thereafter) and Chirano (90%) unless otherwise stated. Data for safety performance, environmental regulatory and land use are all reported on a 100% basis. Data for Chirano and Tasiast are reported subsequent to the close of Kinross' acquisition of Red Back Mining on September 17, 2010 excluding detailed environmental data for 2010. Frequency rates in all safety data are per 200,000 hours worked. Safety performance data has also been reported for our non-operating growth projects at Fruta del Norte, Lobo-Marté and Dvoinoye. On June 28, 2012, Kinross announced that it had completed the sale of its 50% ownership position in the Crixás mine (Serra Grande) to an affiliate of Anglo-Gold Ashanti. As a result, we have not reported on environmental performance for Crixás for 2011 and prior reporting years but we have included 2011 data in the areas of safety and energy performance. Environmental data reported on a corporate-wide basis has been adjusted for 2010 and 2009 to reflect the removal of performance data for Crixás.

## PERFORMANCE SUMMARY – CORPORATE

|  | 2011               | 2010        | 2009       | 2008       | 2007       |
|--|--------------------|-------------|------------|------------|------------|
| Ore Processed (Tonnes) <sup>1</sup>                                | <b>127,497,000</b> | 107,240,000 | 93,164,000 | 73,650,000 | 65,336,000 |
| Attributable <sup>2</sup> Gold Production (Gold equivalent ounces) | <b>2,610, 373</b>  | 2,334,104   | 2,238,665  | 1,838,038  | 1,589,321  |
| <b>Safety (100% basis)</b>   |                    |             |            |            |            |
| Fatalities (Number)  | <b>1</b>           | 1           | 2          | 2          | 1          |
| Lost-time Injury Frequency Rate                                    | <b>0.29</b>        | 0.24        | 0.18       | 0.69       | 0.62       |
| Restricted Work Activity Frequency Rate                            | <b>0.18</b>        | 0.07        | 0.17       | 0.42       | 0.10       |
| Medical Treatment Frequency Rate                                   | <b>0.46</b>        | 0.55        | 0.71       | 0.65       | 0.64       |
| <b>Environmental</b>   |                    |             |            |            |            |
| <b>General (100% basis)</b>  |                    |             |            |            |            |
| Number of Regulatory Actions                                       | <b>2</b>           | 3           | 8          | 2          | 3          |
| Fines Paid (US\$)  | <b>2,700</b>       | 22,000      | 149,850    | 840        | 27,919     |
| Number of Reportable Releases                                      | <b>10</b>          | 7           | 2          | 0          | 3          |

<sup>1</sup> Represents tonnes of ore processed based on Kinross' share of ownership including Kupol (75% until April 27, 2011 and 100% thereafter), Chirano (90%), Round Mountain (50%) and Crixás (50%). For 2006 and part of 2007, La Coipa and Maricunga reflects 50% ownership.

<sup>2</sup> "Attributable" includes Kinross' share of production Kupol (75% until April 27, 2011 and 100% thereafter), Chirano (90%), Round Mountain (50%) and Crixás (50%).

# 2011 Data tables

## PERFORMANCE SUMMARY – CORPORATE

|  | 2011                      | 2010                    | 2009        | 2008        | 2007        |
|--|---------------------------|-------------------------|-------------|-------------|-------------|
| <b>Environmental (continued)</b>   |                           |                         |             |             |             |
| <b>Energy/Greenhouse Gas</b>   |                           |                         |             |             |             |
| Total Energy Consumption in Gigajoules                                   | <b>14, 191,000</b>        | 10,915,000              | 9,240,000   | 7,476,000   | 5,810,000   |
| Direct Energy Consumption in Gigajoules                                  | <b>8,875,000</b>          | 5,997,000               | 4,921,000   | 4,591,000   | 3,303,000   |
| Indirect Energy Consumed in Gigajoules                                   | <b>5,316,000</b>          | 4,918,000               | 4,319,000   | 2,884,000   | 2,507,000   |
| Energy Consumed per Tonne Ore Processed<br>(Megajoules/Tonne)            | <b>110</b>                | 102                     | 99          | 102         | 89          |
| Greenhouse Gas Emissions (Tonnes)  | <b>1,220,000</b>          | 954,000                 | 864,099     | 683,102     | 547,089     |
| Greenhouse Gas Emissions per Tonne<br>of Ore Processed (Kilograms/Tonne) | <b>9.6</b>                | 8.9                     | 9.2         | 9.5         | 8.5         |
| <b>Water Use<sup>3</sup></b>   |                           |                         |             |             |             |
| Total Water Withdrawn – Groundwater (m <sup>3</sup> )                    | <b>8,187,000</b>          | 8,079,000               | 7,372,000   | 7,154,000   | 7,475,000   |
| Total Water Withdrawn – Surface Water (m <sup>3</sup> )                  | <b>11,945,000</b>         | 10,163,000              | 12,982,000  | 9,814,000   | 10,405,000  |
| Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> )         | <b>30,016,000</b>         | 20,521,000              | 17,433,000  | 11,697,000  | 10,777,000  |
| Total Water Withdrawn – Salt/Brackish Water                              | <b>5,924,000</b>          | 2,045,000               | 2,202,000   | 1,785,000   | 779,000     |
| Total Water Consumed in Ore Processing (m <sup>3</sup> )                 | <b>48,456,000</b>         | 37,306,000 <sup>4</sup> | 35,162,000  | 25,191,000  | 24,162,000  |
| Water Consumed per Tonne of Ore Processed (Litres/Tonne)                 | <b>351</b>                | 331                     | 343         | 290         | 302         |
| Total Water Throughput-Process (m <sup>3</sup> )                         | <b>173,940,000</b>        | 172,908,000             | 127,715,000 | 107,970,000 | 100,795,000 |
| Total water withdrawal (net)   | <b>54,105,000</b>         | 40,807,000              | 39,787,000  | 30,555,000  | 29,437,000  |
| Recycled Water (percentage of Total Water Withdrawn)                     | <b>321</b>                | 424                     | 321         | 353         | 342         |
| Total Water Discharged – Groundwater (m <sup>3</sup> )                   | <b>1,670,000</b>          | 1,231,000               | 1,178,000   | 1,235,000   | 890,000     |
| Total Water Discharged – Surface Water (m <sup>3</sup> )                 | <b>2,153,000</b>          | 1,092,000               | 1,052,000   | 1,011,000   | 939,000     |
| <b>Significant Materials Use</b>   |                           |                         |             |             |             |
| Diesel Fuel (m <sup>3</sup> )  | <b>237,600</b>            | 144,600                 | 120,400     | 117,300     | 87,100      |
| Heavy Fuel Oil (m <sup>3</sup> )   | <b>10,000</b>             | 0                       | 0           | 0           | 0           |
| Cyanide (Tonnes as CN)   | <b>15,553</b>             | 11,160                  | 7,886       | 7,292       | 6,130       |
| Lime (Tonnes)  | <b>168,200</b>            | 94,800                  | 75,700      | 72,800      | 79,900      |
| Blasting Agents (Tonnes)   | <b>58,348</b>             | 40,018                  | 33,339      | 30,672      | 22,371      |
| <b>Wastes</b>  |                           |                         |             |             |             |
| Waste Rock Mined (Tonnes)  | <b>149,805,000</b>        | 77,590,000              | 47,534,000  | 54,713,000  | 64,357,000  |
| Tailings Produced (Tonnes)   | <b>71,750,000</b>         | 67,884,000              | 59,745,000  | 40,464,000  | 35,185,000  |
| Hazardous Waste Disposed On Site (Tonnes)                                | <b>971,917</b>            | 878,754                 | 654,487     | 298,742     | 251,897     |
| Hazardous Waste Disposed Off Site (Tonnes)                               | <b>1,195</b>              | 421                     | 427         | 367         | 133         |
| Non-hazardous Waste Disposed On Site (Tonnes)                            | <b>22,313<sup>5</sup></b> | 7,699                   | 6,325       | 5,726       | 8,743       |
| Non-hazardous Waste Disposed Off Site (Tonnes)                           | <b>2,324</b>              | 1,935                   | 1,566       | 447         | 239         |
| <b>Land Status (100% basis)<sup>6</sup></b>                              |                           |                         |             |             |             |
| New Reclamation (hectares)   | <b>127</b>                | 162                     | 169         | 76          | 247         |
| Previously Reclaimed (hectares)  | <b>2,054</b>              | 1,905                   | 1,608       | 1,532       | 1,315       |
| New Disturbance (hectares)   | <b>4,358</b>              | 391                     | 681         | 474         | 1,070       |
| Previously Disturbed and Unreclaimed (hectares)                          | <b>8,776</b>              | 7,287                   | 6,780       | 6,476       | 5,238       |
| Protected Habitat (hectares)   | <b>5,661</b>              | 4,321                   | 3,670       | 1,761       | 1,761       |

<sup>3</sup> Because of the remote location of most operations municipal water use is minimal and not reported.

<sup>4</sup> Based on Kinross's share of ownership and excludes tonnes of ore processed from Tasiast and Chirano.

<sup>5</sup> Includes a one-time amount of 15,981 tonnes of petroleum-contaminated soils at Round Mountain, which had been stored in mine site bioremediation cells. In 2011 these soils were characterized as non-hazardous waste and disposed of in a permitted on-site facility.

<sup>6</sup> Includes current Kinross operations and closed sites.

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

|   | 2011       | 2010       | 2009       | 2008       | 2007       |
|---|------------|------------|------------|------------|------------|
| <b>Operations</b>   |            |            |            |            |            |
| <b>Fort Knox</b>  |            |            |            |            |            |
| Mining Method: Open Pit                                       |            |            |            |            |            |
| Processing Method: Carbon-in-pulp (CIP), gravity, heap leach  |            |            |            |            |            |
| Employees   | 517        | 497        | 484        | 421        | 390        |
| Ore Processed (Tonnes) <sup>7</sup>                           | 31,078,000 | 25,735,000 | 16,224,000 | 13,769,000 | 12,722,000 |
| Attributable Gold Production (Gold equivalent ounces)         | 289,794    | 349,729    | 263,260    | 329,105    | 338,459    |
| <b>Round Mountain</b>   |            |            |            |            |            |
| Mining Method: Open Pit                                       |            |            |            |            |            |
| Processing Method: Heap leach, carbon-in-leach (CIL), gravity |            |            |            |            |            |
| Employees   | 763        | 715        | 731        | 705        | 708        |
| Ore Processed (Tonnes) <sup>8</sup>                           | 15,515,000 | 15,174,000 | 15,018,000 | 18,684,000 | 18,495,000 |
| Attributable Gold Production (Gold equivalent ounces)         | 187,444    | 184,554    | 213,916    | 246,946    | 302,971    |
| <b>Kettle River-Buckhorn</b>                                  |            |            |            |            |            |
| Mining Method: Underground                                    |            |            |            |            |            |
| Processing Method: Carbon-in-leach                            |            |            |            |            |            |
| Employees   | 226        | 217        | 195        | 134        | 99         |
| Ore Processed (Tonnes) <sup>9</sup>                           | 443,000    | 436,000    | 282,000    | 77,000     | 0          |
| Attributable Gold Production (Gold equivalent ounces)         | 175,292    | 198,810    | 173,555    | 27,036     | 0          |
| <b>Safety (100% basis)</b>                                    |            |            |            |            |            |
| Fatalities (Number)   |            |            |            |            |            |
| Fort Knox   | 1          | 0          | 0          | 0          | 0          |
| Round Mountain  | 0          | 0          | 0          | 0          | 0          |
| Kettle River  | 0          | 0          | 0          | 0          | 0          |
| Lost-time Injury Frequency Rate                               |            |            |            |            |            |
| Fort Knox   | 0.14       | 0.00       | 0.28       | 0.17       | 0.00       |
| Round Mountain  | 0.00       | 0.12       | 0.00       | 0.49       | 0.25       |
| Kettle River  | 0.00       | 0.32       | 0.32       | 1.04       | 1.19       |
| Restricted Work Activity Frequency Rate                       |            |            |            |            |            |
| Fort Knox   | 0.41       | 0.53       | 1.52       | 0.68       | 0.68       |
| Round Mountain  | 0.32       | 0.12       | 0.12       | 0.49       | 0.37       |
| Kettle River  | 0.83       | 0.00       | 0.00       | 0.00       | 0.00       |
| Medical Treatment Frequency Rate                              |            |            |            |            |            |
| Fort Knox   | 0.82       | 0.00       | 0.28       | 0.34       | 0.90       |
| Round Mountain  | 0.95       | 0.72       | 0.99       | 0.49       | 1.23       |
| Kettle River  | 0.55       | 0.32       | 0.00       | 0.52       | 0.00       |

<sup>7</sup> Represents 100% basis of tonnes of ore processed.

<sup>8</sup> Represents Kinross' share of ownership in Round Mountain (50%).

<sup>9</sup> Represents 100% basis of tonnes of ore processed.

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

|  | 2011             | 2010      | 2009                 | 2008      | 2007      |
|--|------------------|-----------|----------------------|-----------|-----------|
| <b>Environmental</b>   |                  |           |                      |           |           |
| <b>General (100% basis)</b>  |                  |           |                      |           |           |
| Number of Regulatory Actions   |                  |           |                      |           |           |
| Fort Knox  | 0                | 0         | 0                    | 0         | 0         |
| Round Mountain   | 0                | 0         | 0                    | 0         | 0         |
| Kettle River   | 1                | 2         | 4                    | 1         | 1         |
| Other  | 0                | 0         | 2                    | 1         | 0         |
| Fines Paid (US\$)  |                  |           |                      |           |           |
| Fort Knox  | 0                | 0         | 0                    | 0         | 0         |
| Round Mountain   | 0                | 0         | 0                    | 0         | 0         |
| Kettle River   | 0                | 22,000    | 40,000               | 840       | 0         |
| Other  | 0                | 0         | 35,000 <sup>10</sup> | 0         | 0         |
| Number of Reportable Releases  |                  |           |                      |           |           |
| Fort Knox  | 1                | 1         | 0                    | 0         | 0         |
| Round Mountain   | 0                | 0         | 0                    | 0         | 0         |
| Kettle River   | 0                | 0         | 0                    | 0         | 1         |
| <b>Energy/Greenhouse Gas</b>   |                  |           |                      |           |           |
| Total Energy Consumption in Gigajoules                                   |                  |           |                      |           |           |
| Fort Knox  | <b>2,277,000</b> | 2,370,000 | 2,223,000            | 2,216,000 | 1,925,000 |
| Round Mountain   | <b>1,279,000</b> | 1,200,000 | 1,205,000            | 1,193,000 | 1,189,000 |
| Kettle River   | <b>342,000</b>   | 305,000   | 286,000              | 128,000   | 48,500    |
| Direct Energy Consumption in Gigajoules                                  |                  |           |                      |           |           |
| Fort Knox  | <b>1,364,000</b> | 1,455,000 | 1,334,000            | 1,301,000 | 1,019,000 |
| Round Mountain   | <b>988,000</b>   | 925,000   | 929,000              | 892,000   | 879,000   |
| Kettle River   | <b>187,000</b>   | 160,000   | 168,000              | 81,800    | 15,600    |
| Indirect Energy Consumed in Gigajoules                                   |                  |           |                      |           |           |
| Fort Knox  | <b>914,000</b>   | 915,000   | 889,000              | 914,000   | 906,000   |
| Round Mountain   | <b>291,000</b>   | 276,000   | 276,000              | 301,000   | 309,000   |
| Kettle River   | <b>155,000</b>   | 145,000   | 118,000              | 46,300    | 32,900    |
| Energy Consumed per Tonne Ore Processed<br>(Megajoules/Tonne)            |                  |           |                      |           |           |
| Fort Knox  | <b>73</b>        | 92        | 137                  | 161       | 151       |
| Round Mountain <sup>11</sup>   | <b>82</b>        | 79        | 80                   | 64        | 64        |
| Kettle River   | <b>771</b>       | 700       | 1,014                | 1,660     | 0         |
| Greenhouse Gas Emissions (Tonnes)  |                  |           |                      |           |           |
| Fort Knox  | <b>243,000</b>   | 250,000   | 237,000              | 239,000   | 217,000   |
| Round Mountain   | <b>107,000</b>   | 101,000   | 101,000              | 102,000   | 102,000   |
| Kettle River   | <b>31,000</b>    | 29,000    | 25,800               | 11,300    | 5,100     |
| Greenhouse Gas Emissions per Tonne<br>of Ore Processed (Kilograms/Tonne) |                  |           |                      |           |           |
| Fort Knox  | <b>8</b>         | 10        | 14.6                 | 17.4      | 17        |
| Round Mountain   | <b>7</b>         | 7         | 6.7                  | 5.4       | 5.5       |
| Kettle River   | <b>71</b>        | 66        | 91.6                 | 146.3     | 0         |

<sup>10</sup> Fine received at closed operation DeLamar, see 2009 Corporate Responsibility Report for more detail.

<sup>11</sup> Based on Kinross' share of ownership in Round Mountain (50%).

# 2011 Data tables

## REGIONAL INFORMATION – NORTH AMERICAN OPERATIONS

|  | 2011             | 2010      | 2009      | 2008      | 2007      |
|--|------------------|-----------|-----------|-----------|-----------|
| <b>Environmental (continued)</b>                                 |                  |           |           |           |           |
| <b>Water Use</b>   |                  |           |           |           |           |
| Total Water Withdrawn – Groundwater (m <sup>3</sup> )            |                  |           |           |           |           |
| Fort Knox  | <b>1,660,000</b> | 2,343,000 | 1,872,000 | 1,465,000 | 1,890,000 |
| Round Mountain   | <b>3,947,000</b> | 3,340,000 | 3,067,000 | 3,497,000 | 3,882,000 |
| Kettle River   | <b>242,000</b>   | 215,000   | 169,000   | 150,000   | 7,500     |
| Total Water Withdrawn – Surface Water (m <sup>3</sup> )          |                  |           |           |           |           |
| Fort Knox  | <b>197,000</b>   | 151,000   | 1,644,000 | 1,008,000 | 1,316,000 |
| Round Mountain   | <b>0</b>         | 0         | 0         | 0         | 0         |
| Kettle River   | <b>0</b>         | 0         | 0         | 0         | 0         |
| Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> ) |                  |           |           |           |           |
| Fort Knox  | <b>1,938,000</b> | 2,263,000 | 1,253,000 | 613,000   | 528,000   |
| Round Mountain   | <b>163,000</b>   | 166,000   | 77,000    | 59,000    | 0         |
| Kettle River   | <b>62,000</b>    | 63,000    | 91,000    | 106,000   | 56,000    |
| Recycled Water (Percentage of Total Water Withdrawn)             |                  |           |           |           |           |
| Fort Knox  | <b>833</b>       | 757       | 396       | 638       | 515       |
| Round Mountain   | <b>587</b>       | 547       | 600       | 543       | 500       |
| Kettle River   | <b>125</b>       | 137       | 174       | n/r       | 143       |
| Total Water Consumed in Ore Processing (m <sup>3</sup> )         |                  |           |           |           |           |
| Fort Knox  | <b>2,637,900</b> | 4,229,000 | 2,897,000 | 1,008,000 | 1,192,000 |
| Round Mountain   | <b>1,404,000</b> | 1,887,000 | 1,677,000 | 1,393,000 | 1,336,000 |
| Kettle River   | <b>206,000</b>   | 181,000   | 171,000   | 127,000   | 0         |
| Water Consumed per Tonne of Ore Processed (Litres/Tonne)         |                  |           |           |           |           |
| Fort Knox  | <b>85</b>        | 164       | 179       | 73        | 94        |
| Round Mountain <sup>12</sup>                                     | <b>90</b>        | 124       | 112       | 77        | 72        |
| Kettle River   | <b>466</b>       | 416       | 607       | 1,649     | 0         |
| Total Water Discharged – Groundwater (m <sup>3</sup> )           |                  |           |           |           |           |
| Fort Knox  | <b>0</b>         | 0         | 0         | 0         | 0         |
| Round Mountain   | <b>1,136,000</b> | 749,000   | 641,000   | 737,000   | 688,000   |
| Kettle River   | <b>172,000</b>   | 124,000   | 129,000   | 89,000    | 0         |
| Total Water Discharged – Surface Water (m <sup>3</sup> )         |                  |           |           |           |           |
| Fort Knox  | <b>0</b>         | 0         | 0         | 0         | 0         |
| Round Mountain   | <b>0</b>         | 0         | 0         | 0         | 0         |
| Kettle River   | <b>38,882</b>    | 39,000    | 0         | 22,500    | 0         |

<sup>12</sup> Based on Kinross' share of ownership in Round Mountain (50%).

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – NORTH AMERICA

|   | 2011   | 2010   | 2009   | 2008   | 2007   |
|---|--------|--------|--------|--------|--------|
| <b>Environmental (continued)</b>              |        |        |        |        |        |
| <b>Land Status (100% basis)</b>               |        |        |        |        |        |
| New Reclamation (hectares)                    |        |        |        |        |        |
| Fort Knox                                     | 0      | 0      | 13     | 0      | 12     |
| Round Mountain                                | 0      | 0      | 0      | 0      | 0      |
| Kettle River                                  | 0      | 5      | 24     | 7      | 23     |
| Closed Operations                             | 3      | 28     | 8      | 37     | 70     |
| Previously Reclaimed (hectares)               |        |        |        |        |        |
| Fort Knox                                     | 46     | 50     | 37     | 37     | 25     |
| Round Mountain                                | 217    | 217    | 217    | 217    | 253    |
| Kettle River                                  | 40     | 66     | 42     | 35     | 12     |
| Closed Operations                             | 1,146  | 1,146  | 1,138  | 1,101  | 1,025  |
| New Disturbance (hectares)                    |        |        |        |        |        |
| Fort Knox                                     | 12     | 39     | 135    | 125    | 52     |
| Round Mountain                                | 766    | 62     | 0      | 1      | 1      |
| Kettle River                                  | 0      | 0      | 7      | 50     | 2      |
| Closed Operations                             | 0      | 0      | 0      | 0      | 0      |
| Previously Disturbed & Unreclaimed (hectares) |        |        |        |        |        |
| Fort Knox                                     | 1,502  | 1,463  | 1,328  | 1,216  | 1,164  |
| Round Mountain                                | 2,098  | 2,036  | 2,036  | 2,035  | 1,790  |
| Kettle River                                  | 104    | 104    | 102    | 76     | 81     |
| Closed Operations                             | 36     | 36     | 76     | 84     | 121    |
| Protected Habitat (hectares)                  |        |        |        |        |        |
| Kettle River                                  | 212    | 212    | 212    | 212    | 212    |
| <b>Significant Materials Use</b>              |        |        |        |        |        |
| Diesel Fuel (m <sup>3</sup> )                 |        |        |        |        |        |
| Fort Knox                                     | 39,400 | 39,100 | 36,400 | 35,500 | 27,800 |
| Round Mountain                                | 27,800 | 24,200 | 24,300 | 22,900 | 22,700 |
| Kettle River                                  | 3,400  | 3,300  | 3,200  | 1,500  | 400    |
| Cyanide (Tonnes as CN)                        |        |        |        |        |        |
| Fort Knox                                     | 1,021  | 298    | 541    | 373    | 334    |
| Round Mountain                                | 3,282  | 1,577  | 1,914  | 1,621  | 1,890  |
| Kettle River                                  | 898    | 522    | 534    | 47     | 0      |
| Lime (Tonnes)                                 |        |        |        |        |        |
| Fort Knox                                     | 7,568  | 2,462  | 2,914  | 146    | 3,408  |
| Round Mountain                                | 32,257 | 26,325 | 19,201 | 20,427 | 30,194 |
| Kettle River                                  | 1,223  | 997    | 567    | 137    | 0      |
| Blasting Agents (Tonnes)                      |        |        |        |        |        |
| Fort Knox                                     | 5,800  | 7,483  | 8,950  | 9,626  | 7,902  |
| Round Mountain                                | 4,942  | 5,648  | 5,555  | 6,876  | 5,720  |
| Kettle River                                  | 831    | 641    | 733    | 238    | 210    |

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – NORTH AMERICA

|  | 2011                       | 2010       | 2009       | 2008       | 2007       |
|--|----------------------------|------------|------------|------------|------------|
| <b>Environmental (continued)</b>               |                            |            |            |            |            |
| <b>Wastes</b>                                  |                            |            |            |            |            |
| Waste Rock Mined (Tonnes)                      |                            |            |            |            |            |
| Fort Knox                                      | <b>23,311,000</b>          | 18,679,000 | 36,200     | 14,551,000 | 21,670,000 |
| Round Mountain                                 | <b>15,029,000</b>          | 18,717,000 | 20,040,000 | 20,658,000 | 23,717,000 |
| Kettle River                                   | <b>171,000</b>             | 82,200     | 255,000    | 143,000    | 406        |
| Tailings Produced (Tonnes)                     |                            |            |            |            |            |
| Fort Knox                                      | <b>13,418,000</b>          | 17,962,000 | 12,830,000 | 12,191,000 | 12,275,000 |
| Round Mountain                                 | <b>1,421,000</b>           | 1,996,000  | 1,701,000  | 1,744,000  | 1,774,000  |
| Kettle River                                   | <b>443,000</b>             | 436,000    | 282,000    | 77,000     | 0          |
| Hazardous Waste Disposed On Site (Tonnes)      |                            |            |            |            |            |
| Fort Knox                                      | <b>0</b>                   | 0          | 0          | 0          | 0          |
| Round Mountain                                 | <b>0</b>                   | 0          | 0          | 0          | 0          |
| Kettle River                                   | <b>1</b>                   | 1.0        | 0          | 0          | 0          |
| Hazardous Waste Disposed Off Site (Tonnes)     |                            |            |            |            |            |
| Fort Knox                                      | <b>8.9</b>                 | 2.1        | 4.9        | 1.5        | 2.3        |
| Round Mountain                                 | <b>1.6</b>                 | 2.6        | 7.7        | 9.7        | 7.0        |
| Kettle River                                   | <b>5.2</b>                 | 5.3        | 4.1        | 2.8        | 0.3        |
| Non-hazardous Waste Disposed On Site (Tonnes)  |                            |            |            |            |            |
| Fort Knox                                      | <b>0</b>                   | 21.5       | 33.6       | 23.1       | 25.3       |
| Round Mountain                                 | <b>16,784<sup>13</sup></b> | 792.5      | 857.5      | 204.0      | 217.3      |
| Kettle River                                   | <b>0</b>                   | 0          | 0          | 0          | 0          |
| Non-hazardous Waste Disposed Off Site (Tonnes) |                            |            |            |            |            |
| Fort Knox                                      | <b>652.5</b>               | 240.0      | 108.0      | 31.3       | 64.2       |
| Round Mountain                                 | <b>19</b>                  | 5.1        | 9.5        | 11.7       | 12.6       |
| Kettle River                                   | <b>16.14</b>               | 504.7      | 263.0      | 165.0      | n/r        |

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

### Operations

|  |                   |            |            |            |            |
|--|-------------------|------------|------------|------------|------------|
| <b>Paracatu (Brazil)</b>                               |                   |            |            |            |            |
| Mining Method: Open Pit                                |                   |            |            |            |            |
| Processing Method: Flotation, carbon-in-leach, gravity |                   |            |            |            |            |
| Employees  | <b>1,245</b>      | 900        | 827        | 673        | 603        |
| Ore Processed (Tonnes) <sup>14</sup>                   | <b>44,532,000</b> | 42,658,000 | 39,744,000 | 20,307,000 | 19,285,000 |
| Attributable Gold Production (Gold equivalent ounces)  | <b>453,396</b>    | 482,397    | 354,396    | 188,156    | 174,987    |
| <b>Crixás (Brazil) 50% owned</b>                       |                   |            |            |            |            |
| Mining Method: Underground                             |                   |            |            |            |            |
| Processing Method: Gravity, Merrill-Crowe              |                   |            |            |            |            |
| Employees <sup>15</sup>                                | <b>1,039</b>      | 1,268      | 965        | n/r        | n/r        |
| Ore Processed (Tonnes) <sup>16</sup>                   | <b>585,000</b>    | 566,000    | 518,000    | 404,000    | 409,000    |
| Attributable Gold Production (Gold equivalent ounces)  | <b>66,583</b>     | 74,777     | 74,654     | n/r        | n/r        |

<sup>13</sup> Includes a one-time amount of 15,981 tonnes of petroleum-contaminated soils, which had been stored in mine site bioremediation cells. In 2011 these soils were characterized as non-hazardous waste and disposed of in a permitted on-site facility."

<sup>14</sup> Represents 100% basis of tonnes of ore processed.

<sup>15</sup> <http://www.aga-reports.com/11/financial-statements/review-of-operations/americas/brazil>

<sup>16</sup> Represents Kinross' share of ownership in Crixás (50%).

n/r = not reported

# 2011 Data tables

## REGIONAL INFORMATION – SOUTH AMERICAN OPERATIONS

|   | 2011       | 2010       | 2009       | 2008       | 2007       |
|---|------------|------------|------------|------------|------------|
| <b>Operations (continued)</b>                         |            |            |            |            |            |
| <b>Maricunga (Chile)</b>                              |            |            |            |            |            |
| Mining Method: Open Pit                               |            |            |            |            |            |
| Processing Method: Heap leach                         |            |            |            |            |            |
| Employees   | 474        | 465        | 452        | 431        | 406        |
| Ore Processed (Tonnes) <sup>17</sup>                  | 15,258,000 | 14,267,000 | 15,613,000 | 15,027,000 | 12,603,000 |
| Attributable Gold Production (Gold equivalent ounces) | 236,249    | 156,590    | 233,585    | 221,882    | 205,750    |
| <b>La Coipa (Chile)</b>                               |            |            |            |            |            |
| Mining Method: Open Pit                               |            |            |            |            |            |
| Processing Method: Mill, Merrill-Crowe                |            |            |            |            |            |
| Employees   | 443        | 414        | 402        | 424        | n/r        |
| Ore Processed (Tonnes) <sup>18</sup>                  | 4,278,000  | 4,445,000  | 4,907,000  | 4,918,000  | 1,822,000  |
| Attributable Gold Production (Gold equivalent ounces) | 178,287    | 196,330    | 231,169    | 226,293    | 197,554    |

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

### Safety (100% basis)

|  |      |      |      |      |      |
|--|------|------|------|------|------|
| <b>Fatalities (Number)</b>                     |      |      |      |      |      |
| Paracatu                                       | 0    | 0    | 0    | 0    | 0    |
| Crixás   | 0    | 0    | 0    | 1    | 1    |
| Maricunga                                      | 0    | 0    | 0    | 0    | 0    |
| La Coipa                                       | 0    | 0    | 0    | 0    | 0    |
| Fruta Del Norte                                | 0    | 0    | 0    | –    | –    |
| Lobo-Marté                                     | 0    | 0    | 0    | –    | –    |
| <b>Lost-time Injury Frequency Rate</b>         |      |      |      |      |      |
| Paracatu                                       | 0.14 | 0.09 | 0.07 | 0.50 | 0.31 |
| Crixás   | 0.00 | 0.08 | 0.14 | n/r  | n/r  |
| Maricunga                                      | 0.48 | 0.66 | 0.26 | 1.53 | 1.50 |
| La Coipa                                       | 0.29 | 0.00 | 0.43 | 0.59 | n/r  |
| Fruta Del Norte                                | 0.00 | 0.80 | 0.00 | –    | –    |
| Lobo-Marté                                     | 0.00 | 0.00 | 0.00 | –    | –    |
| <b>Restricted Work Activity Frequency Rate</b> |      |      |      |      |      |
| Paracatu                                       | 0.00 | 0.00 | 0.00 | 0.71 | 0.03 |
| Crixás   | 0.00 | 0.00 | 0.00 | n/r  | n/r  |
| Maricunga                                      | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| La Coipa                                       | 0.00 | 0.00 | 0.00 | 0.00 | n/r  |
| Fruta Del Norte                                | 0.00 | 0.00 | 0.41 | –    | –    |
| Lobo-Marté                                     | 0.00 | 0.00 | 0.00 | –    | –    |
| <b>Medical Treatment Frequency Rate</b>        |      |      |      |      |      |
| Paracatu                                       | 0.62 | 0.37 | 0.72 | 0.41 | 0.49 |
| Crixás   | 0.70 | 1.44 | 1.58 | n/r  | n/r  |
| Maricunga                                      | 0.14 | 0.00 | 0.00 | 0.19 | 0.35 |
| La Coipa                                       | 0.22 | 0.00 | 0.32 | 0.49 | n/r  |
| Fruta Del Norte                                | 0.69 | 1.61 | 0.81 | –    | –    |
| Lobo-Marté                                     | 0.00 | 0.51 | 0.00 | –    | –    |

<sup>17</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 2/27/2007, and 2006, which reflects 50% ownership.

<sup>18</sup> Represents 100% of tonnes of ore processed except for reporting years 2007, which reflects Kinross' 50% ownership until 12/21/2007, and 2006, which reflects 50% ownership.

n/r = not reported



# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

|  | 2011      | 2010      | 2009      | 2008      | 2007      |
|--|-----------|-----------|-----------|-----------|-----------|
| <b>Environmental</b>   |           |           |           |           |           |
| <b>General (100% basis)</b>  |           |           |           |           |           |
| Number of Regulatory Actions   |           |           |           |           |           |
| Paracatu   | 0         | 1         | 1         | 0         | 0         |
| Crixás   | 0         | 0         | 0         | 0         | 0         |
| Maricunga  | 0         | 0         | 0         | 0         | 0         |
| La Coipa   | 0         | 0         | 0         | 0         | 1         |
| Other  | 1         | 0         | 1         | 0         | 0         |
| Fines Paid   |           |           |           |           |           |
| Paracatu   | 0         | 0         | 74,850    | 0         | 0         |
| Crixás   | 0         | 0         | 0         | 0         | 0         |
| Maricunga  | 0         | 0         | 0         | 0         | 0         |
| La Coipa   | 0         | 0         | 0         | 0         | 22,800    |
| Other  | 2,700     | 0         | 0         | 0         | 0         |
| Number of Reportable Releases  |           |           |           |           |           |
| Paracatu   | 1         | 2         | 0         | 0         | 0         |
| Crixás   | n/r       | 0         | 0         | 0         | 0         |
| Maricunga  | 0         | 0         | 0         | 0         | 0         |
| La Coipa   | 1         | 0         | 0         | 0         | 0         |
| <b>Energy/Greenhouse Gas</b>   |           |           |           |           |           |
| Total Energy Consumption in Gigajoules                                   |           |           |           |           |           |
| Paracatu   | 3,300,000 | 3,110,000 | 2,802,000 | 1,183,000 | 1,081,000 |
| Crixás   | 222,000   | 217,000   | 84,200    | 68,800    | n/r       |
| Maricunga  | 1,238,000 | 1,127,000 | 981,000   | 852,000   | 748,000   |
| La Coipa   | 1,139,000 | 952,000   | 978,000   | 947,000   | 504,000   |
| Direct Energy Consumption in Gigajoules                                  |           |           |           |           |           |
| Paracatu   | 730,000   | 587,000   | 575,000   | 385,000   | 330,000   |
| Crixás   | 66,000    | 69,000    | 84,100    | 68,700    | n/r       |
| Maricunga  | 938,000   | 834,000   | 687,000   | 563,000   | 468,000   |
| La Coipa   | 591,000   | 461,000   | 463,000   | 412,000   | 242,000   |
| Indirect Energy Consumed in Gigajoules                                   |           |           |           |           |           |
| Paracatu   | 2,571,000 | 2,523,000 | 2,227,000 | 799,000   | 751,000   |
| Crixás   | 156,000   | 148,000   | 134       | 111       | n/r       |
| Maricunga  | 300,000   | 294,000   | 294,000   | 289,000   | 279,000   |
| La Coipa   | 548,000   | 492,000   | 515,000   | 535,000   | 262,000   |
| Energy Consumed per Tonne Ore Processed<br>(Megajoules/Tonne)            |           |           |           |           |           |
| Paracatu   | 74        | 73        | 70        | 58        | 56        |
| Crixás   | 380       | 383       | 163       | 341       | n/r       |
| Maricunga  | 81        | 79        | 63        | 57        | 55        |
| La Coipa   | 266       | 214       | 199       | 193       | 284       |
| Greenhouse Gas Emissions (Tonnes)  |           |           |           |           |           |
| Paracatu   | 244,000   | 230,000   | 188,000   | 82,900    | 79,400    |
| Crixás   | 16,000    | 16,000    | 4,800     | 4,000     | n/r       |
| Maricunga  | 108,000   | 100,000   | 89,300    | 79,400    | 70,800    |
| La Coipa   | 116,000   | 98,000    | 102,000   | 100,000   | 52,100    |
| Greenhouse Gas Emissions per Tonne<br>of Ore Processed (Kilograms/Tonne) |           |           |           |           |           |
| Paracatu   | 5         | 5         | 4.7       | 4.1       | 4.1       |
| Crixás   | 28        | 28        | 9.3       | 19.7      | n/r       |
| Maricunga  | 7         | 7         | 5.7       | 5.3       | 5.2       |
| La Coipa   | 27        | 22        | 20.7      | 20.4      | 29.4      |

n/r = not reported

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

|  | 2011              | 2010       | 2009       | 2008       | 2007       |
|--|-------------------|------------|------------|------------|------------|
| <b>Environmental (continued)</b>                                 |                   |            |            |            |            |
| <b>Water Use</b>   |                   |            |            |            |            |
| Total Water Withdrawn – Groundwater (m <sup>3</sup> )            |                   |            |            |            |            |
| Paracatu   | <b>1,900</b>      | 30,100     | 29,300     | 32,600     | 32,600     |
| Maricunga  | <b>2,186,000</b>  | 2,122,000  | 2,216,000  | 2,007,000  | 1,628,000  |
| La Coipa   | <b>0</b>          | 0          | 0          | 0          | 0          |
| Total Water Withdrawn – Surface Water (m <sup>3</sup> )          |                   |            |            |            |            |
| Paracatu   | <b>10,701,000</b> | 9,749,000  | 11,108,000 | 8,479,000  | 9,034,000  |
| Maricunga  | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa   | <b>0</b>          | 0          | 0          | 0          | 0          |
| Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> ) |                   |            |            |            |            |
| Paracatu   | <b>26,322,000</b> | 17,618,000 | 15,524,000 | 10,516,000 | 10,193,000 |
| Maricunga  | <b>17,100</b>     | n/r        | n/r        | n/r        | n/r        |
| La Coipa   | <b>19</b>         | 177        | n/r        | n/r        | n/r        |
| Total Water Withdrawn – Salt/Brackish Water                      |                   |            |            |            |            |
| Paracatu   | <b>0</b>          | 0          | 0          | 0          | 0          |
| Maricunga  | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa   | <b>2,069,000</b>  | 2,045,000  | 2,002,000  | 1,785,000  | 779,000    |
| Recycled Water (Percentage of Total Water Withdrawn)             |                   |            |            |            |            |
| Paracatu   | <b>248</b>        | 334        | 243        | 208        | 195        |
| Maricunga  | <b>893</b>        | 1108       | 1020       | 1371       | 1436       |
| La Coipa   | <b>61</b>         | 56         | 49         | 74         | 138        |
| Total Water Consumed in Ore Processing (m <sup>3</sup> )         |                   |            |            |            |            |
| Paracatu   | <b>36,000,000</b> | 27,317,000 | 26,632,000 | 18,996,000 | 19,227,000 |
| Maricunga  | <b>2,473,000</b>  | 1,965,000  | 2,174,000  | 2,201,000  | 1,870,000  |
| La Coipa   | <b>1,154,000</b>  | 1,145,000  | 988,000    | 1,326,000  | 537,000    |
| Water Consumed per Tonne of Ore Processed (Litres/Tonne)         |                   |            |            |            |            |
| Paracatu   | <b>808</b>        | 640        | 670        | 935        | 997        |
| Maricunga  | <b>162</b>        | 138        | 139        | 146        | 137        |
| La Coipa   | <b>270</b>        | 258        | 201        | 270        | 303        |
| Total Water Discharged – Groundwater (m <sup>3</sup> )           |                   |            |            |            |            |
| Paracatu   | <b>0</b>          | 0          | 0          | 0          | 0          |
| Maricunga  | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa   | <b>363,000</b>    | 358,000    | 408,000    | 409,000    | 202,000    |
| Total Water Discharged – Surface Water (m <sup>3</sup> )         |                   |            |            |            |            |
| Paracatu   | <b>1,954,000</b>  | 1,051,000  | 1,051,000  | 965,000    | 901,000    |
| Maricunga  | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa   | <b>0</b>          | 0          | 0          | 0          | 0          |

n/r = not reported

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

|   | 2011   | 2010   | 2009   | 2008   | 2007   |
|---|--------|--------|--------|--------|--------|
| <b>Environmental (continued)</b>              |        |        |        |        |        |
| <b>Land Status (100% basis)</b>               |        |        |        |        |        |
| New Reclamation (hectares)                    |        |        |        |        |        |
| Paracatu                                      | 74     | 126    | 113    | 25     | 142    |
| Maricunga                                     | 0      | 0      | 0      | 0      | 0      |
| La Coipa                                      | 0      | 0      | 0      | 0      | 0      |
| Previously Reclaimed (hectares)               |        |        |        |        |        |
| Paracatu                                      | 537    | 411    | 167    | 142    | 0      |
| Maricunga                                     | 0      | 0      | 0      | 0      | 0      |
| La Coipa                                      | 0      | 0      | 0      | 0      | 0      |
| New Disturbance (hectares)                    |        |        |        |        |        |
| Paracatu                                      | 382    | 190    | 345    | 277    | 84     |
| Maricunga                                     | 37     | 78     | 11     | 0      | 0      |
| La Coipa                                      | 20     | 21     | 21     | 21     | 24     |
| Previously Disturbed & Unreclaimed (hectares) |        |        |        |        |        |
| Paracatu                                      | 1,783  | 1,667  | 1,448  | 1,284  | 1,225  |
| Maricunga                                     | 824    | 746    | 735    | 735    | 735    |
| La Coipa                                      | 209    | 188    | 167    | 147    | 123    |
| Protected Habitat (hectares)                  |        |        |        |        |        |
| Paracatu                                      | 4,035  | 4,079  | 3,428  | 1,519  | 1,519  |
| Maricunga                                     | 64     | 27     | 27     | 27     | 27     |
| La Coipa                                      | 3      | 3      | 3      | 3      | 3      |
| <b>Significant Materials Use</b>              |        |        |        |        |        |
| Diesel Fuel (m <sup>3</sup> )                 |        |        |        |        |        |
| Paracatu                                      | 25,000 | 15,900 | 9,000  | 9,000  | 9,000  |
| Maricunga                                     | 25,000 | 21,000 | 17,000 | 13,700 | 11,100 |
| La Coipa                                      | 20,000 | 12,500 | 12,500 | 11,100 | 6,500  |
| Cyanide (Tonnes as CN)                        |        |        |        |        |        |
| Paracatu                                      | 804    | 745    | 590    | 251    | 280    |
| Maricunga                                     | 4,663  | 5,162  | 2,460  | 2,967  | 2,563  |
| La Coipa                                      | 1,925  | 2,300  | 1,307  | 1,697  | 1,063  |
| Lime (Tonnes)                                 |        |        |        |        |        |
| Paracatu                                      | 5,924  | 5,767  | 5,800  | 2,492  | 1,718  |
| Maricunga                                     | 73,612 | 41,538 | 24,527 | 32,380 | 39,719 |
| La Coipa                                      | 14,392 | 12,176 | 12,698 | 11,113 | 4,815  |
| Blasting Agents (Tonnes)                      |        |        |        |        |        |
| Paracatu                                      | 9,058  | 7,796  | 5,992  | 897    | 38     |
| Maricunga                                     | 7,276  | 10,002 | 6,546  | 8,295  | 6,295  |
| La Coipa                                      | 14,678 | 6,541  | 3,593  | 3,370  | 1,232  |

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – SOUTH AMERICA

|  | 2011              | 2010       | 2009       | 2008       | 2007       |
|--|-------------------|------------|------------|------------|------------|
| <b>Environmental (continued)</b>               |                   |            |            |            |            |
| <b>Wastes</b>                                  |                   |            |            |            |            |
| Waste Rock Mined (Tonnes)                      |                   |            |            |            |            |
| Paracatu                                       | <b>10,758,000</b> | 1,460,000  | 2,290,000  | 160,000    | 0          |
| Maricunga                                      | <b>15,290,000</b> | 13,752,000 | 10,988,000 | 10,793,000 | 10,750,000 |
| La Coipa                                       | <b>23,348,000</b> | 21,029,000 | 10,434,000 | 7,889,000  | 5,457,000  |
| Tailings Produced (Tonnes)                     |                   |            |            |            |            |
| Paracatu                                       | <b>43,561,000</b> | 41,779,000 | 39,090,000 | 20,917,000 | 19,033,000 |
| Maricunga                                      | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa                                       | <b>4,654,000</b>  | 4,645,000  | 4,984,000  | 5,047,000  | 2,103,000  |
| Hazardous Waste Disposed On Site (Tonnes)      |                   |            |            |            |            |
| Paracatu                                       | <b>971,277</b>    | 878,707    | 654,419    | 298,738    | 251,889    |
| Maricunga                                      | <b>584</b>        | 0          | 0          | 0          | 0          |
| La Coipa                                       | <b>0</b>          | 0          | 0          | 0          | 0          |
| Hazardous Waste Disposed Off Site (Tonnes)     |                   |            |            |            |            |
| Paracatu                                       | <b>580</b>        | 278.9      | 222.1      | 131.8      | 26.2       |
| Maricunga                                      | <b>135</b>        | 43.2       | 39.0       | 79.0       | 15.0       |
| La Coipa                                       | <b>74</b>         | 89.2       | 149.0      | 142.6      | 82.2       |
| Non-hazardous Waste Disposed On Site (Tonnes)  |                   |            |            |            |            |
| Paracatu                                       | <b>1,762</b>      | 2,417      | 892        | 1,427      | 1,574      |
| Maricunga                                      | <b>260</b>        | 872        | 2,248      | 3,308      | 2,672      |
| La Coipa                                       | <b>1,339</b>      | 1,829      | 533        | 490        | 150        |
| Non-hazardous Waste Disposed Off Site (Tonnes) |                   |            |            |            |            |
| Paracatu                                       | <b>745</b>        | 870        | 1,186      | 239        | 162        |
| Maricunga                                      | <b>0</b>          | 0          | 0          | 0          | 0          |
| La Coipa                                       | <b>0</b>          | 0          | 0          | 0          | 0          |

# 2011 Data tables

## REGIONAL INFORMATION – RUSSIAN OPERATIONS

|   | 2011      | 2010    | 2009    | 2008    | 2007 |
|---|-----------|---------|---------|---------|------|
| <b>Operations</b>                                     |           |         |         |         |      |
| <b>Kupol</b>  |           |         |         |         |      |
| Mining Method: Open Pit and Underground               |           |         |         |         |      |
| Processing Method: Merrill-Crowe                      |           |         |         |         |      |
| Employees   | 1,154     | 1,092   | 1,023   | 988     | 555  |
| Ore Processed (Tonnes) <sup>19</sup>                  | 1,140,000 | 872,000 | 858,000 | 464,000 | 0    |
| Attributable Gold Production (Gold equivalent ounces) | 587,049   | 554,008 | 694,130 | 469,907 | 0    |

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

### Safety (100% basis)

|  |      |      |      |      |      |
|--|------|------|------|------|------|
| <b>Fatalities (Number)</b>                     |      |      |      |      |      |
| Kupol  | 0    | 1    | 2    | 1    | 0    |
| Dvoinoye                                       | 0    | 0    | –    | –    | –    |
| <b>Lost-time Injury Frequency Rate</b>         |      |      |      |      |      |
| Kupol  | 0.13 | 0.25 | 0.28 | 0.74 | 1.27 |
| Dvoinoye                                       | 0    | 0    | –    | –    | –    |
| <b>Restricted Work Activity Frequency Rate</b> |      |      |      |      |      |
| Kupol  | 0.00 | 0.06 | 0.21 | 0.17 | 0.00 |
| Dvoinoye                                       | 0    | 1.67 | –    | –    | –    |
| <b>Medical Treatment Frequency Rate</b>        |      |      |      |      |      |
| Kupol  | 0.20 | 0.25 | 0.63 | 0.50 | 0.68 |
| Dvoinoye                                       | 0    | 0    | –    | –    | –    |

### Environmental

#### General (100% basis)

|  |   |   |   |   |       |
|--|---|---|---|---|-------|
| <b>Number of Regulatory Actions</b>        |   |   |   |   |       |
| Kupol                                      | 0 | 0 | 0 | 0 | 1     |
| <b>Fines Paid (US\$)</b>                   |   |   |   |   |       |
| Kupol                                      | 0 | 0 | 0 | 0 | 1,090 |
| Other                                      | 0 | 0 | 0 | 0 | 4,029 |
| <b>Reportable Releases (m<sup>3</sup>)</b> |   |   |   |   |       |
| Kupol                                      | 0 | 2 | 2 | 0 | 0     |
| Other                                      | 0 | 0 | 0 | 0 | 1     |

#### Energy/Greenhouse Gas

|  |           |           |         |         |         |
|--|-----------|-----------|---------|---------|---------|
| <b>Total Energy Consumption in Gigajoules</b>                                |           |           |         |         |         |
| Kupol  | 1,407,000 | 1,143,000 | 682,000 | 888,000 | 362,000 |
| <b>Direct Energy Consumption in Gigajoules</b>                               |           |           |         |         |         |
| Kupol  | 1,407,000 | 1,143,000 | 682,000 | 888,000 | 362,000 |
| <b>Indirect Energy Consumed in Gigajoules</b>                                |           |           |         |         |         |
| Kupol  | 0         | 0         | 0       | 0       | 0       |
| <b>Energy Consumed per Tonne Ore Processed (Megajoules/Tonne)</b>            |           |           |         |         |         |
| Kupol  | 1,245     | 1,300     | 596     | 1,369   | –       |
| <b>Greenhouse Gas Emissions (Tonnes)</b>                                     |           |           |         |         |         |
| Kupol  | 103,000   | 83,818    | 50,100  | 65,200  | 26,600  |
| <b>Greenhouse Gas Emissions per Tonne of Ore Processed (Kilograms/Tonne)</b> |           |           |         |         |         |
|  | 91        | 96        | 43.8    | 100.5   | –       |

<sup>19</sup> Represents Kinross' share of ownership in Kupol (75% until April 27, 2011 and 100% thereafter).

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – RUSSIA

|  | 2011             | 2010      | 2009      | 2008    | 2007      |
|--|------------------|-----------|-----------|---------|-----------|
| <b>Environmental (continued)</b>                                 |                  |           |           |         |           |
| <b>Water Use</b>   |                  |           |           |         |           |
| Total Water Withdrawn – Groundwater (m <sup>3</sup> )            |                  |           |           |         |           |
| Kupol  | <b>21,800</b>    | 28,700    | 17,800    | 107,000 | 37,500    |
| Total Water Withdrawn – Surface Water (m <sup>3</sup> )          |                  |           |           |         |           |
| Kupol  | <b>319,000</b>   | 263,000   | 230,000   | 327,000 | 54,900    |
| Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> ) |                  |           |           |         |           |
| Kupol  | <b>434,000</b>   | 411,000   | 488,000   | 403,000 | 0         |
| Recycled Water (percentage of Total Water Withdrawn)             |                  |           |           |         |           |
| Kupol  | <b>203</b>       | 171       | 159       | 71      | 0         |
| Total Water Consumed in Ore Processing (m <sup>3</sup> )         |                  |           |           |         |           |
| Kupol  | <b>490,000</b>   | 582,000   | 623,000   | 140,000 | 0         |
| Water Consumed per Tonne of Ore Processed (Litres/Tonne)         |                  |           |           |         |           |
| Kupol  | <b>430</b>       | 667       | 726       | 303     | 0         |
| Total Water Discharged – Groundwater (m <sup>3</sup> )           |                  |           |           |         |           |
| Kupol  | <b>0</b>         | 0         | 0         | 0       | 0         |
| Total Water Discharged – Surface Water (m <sup>3</sup> )         |                  |           |           |         |           |
| Kupol  | <b>2,000</b>     | 1,500     | 1,800     | 23,300  | 37,600    |
| <b>Land Status (100% basis)</b>                                  |                  |           |           |         |           |
| New Reclamation (hectares)                                       |                  |           |           |         |           |
| Kupol  | <b>50</b>        | 3         | 11        | 7       | 0         |
| Previously Reclaimed (hectares)                                  |                  |           |           |         |           |
| Kupol  | <b>68</b>        | 15        | 7         | 0       | 0         |
| New Disturbance (hectares)                                       |                  |           |           |         |           |
| Kupol  | <b>23</b>        | 1         | 162       | 0       | 907       |
| Previously Disturbed & Unreclaimed (hectares)                    |                  |           |           |         |           |
| Kupol  | <b>999</b>       | 1,048     | 889       | 900     | 0         |
| Protected Habitat (hectares)                                     |                  |           |           |         |           |
| Kupol  | <b>0</b>         | 0         | 0         | 0       | 0         |
| <b>Significant Materials Use</b>                                 |                  |           |           |         |           |
| Diesel Fuel (m <sup>3</sup> )                                    |                  |           |           |         |           |
| Kupol  | <b>37,000</b>    | 28,700    | 18,000    | 23,600  | 9,600     |
| Cyanide (Tonnes as CN)   |                  |           |           |         |           |
| Kupol  | <b>704</b>       | 557       | 540       | 336     | 0         |
| Lime (Tonnes)  |                  |           |           |         |           |
| Kupol  | <b>6,571</b>     | 5,456     | 10,037    | 6,134   | 0         |
| Blasting Agents (Tonnes)   |                  |           |           |         |           |
| Kupol  | <b>3,439</b>     | 1,907     | 1,970     | 1,370   | 1,004     |
| <b>Wastes</b>  |                  |           |           |         |           |
| Waste Rock Mined (Tonnes)  |                  |           |           |         |           |
| Kupol  | <b>3,746,000</b> | 3,490,000 | 3,490,000 | 520,000 | 2,762,000 |
| Tailings Produced (Tonnes)                                       |                  |           |           |         |           |
| Kupol  | <b>1,070,000</b> | 1,050,000 | 858,000   | 486,000 | 0         |
| Hazardous Waste Disposed On Site (Tonnes)                        |                  |           |           |         |           |
| Kupol  | <b>55</b>        | 45.2      | 68.1      | 4.7     | 7.7       |
| Hazardous Waste Disposed Off Site (Tonnes)                       |                  |           |           |         |           |
| Kupol  | <b>28</b>        | 0         | 0         | 0       | 0         |
| Non-hazardous Waste Disposed On Site (Tonnes)                    |                  |           |           |         |           |
| Kupol  | <b>1,828</b>     | 1,767     | 1,761     | 274     | 4,105     |
| Non-hazardous Waste Disposed Off Site (Tonnes)                   |                  |           |           |         |           |
| Kupol  | <b>891</b>       | 315       | 0         | 0       | 0         |

# 2011 Data tables

## REGIONAL INFORMATION – WEST AFRICA <sup>20</sup>

|   | 2011       | 2010      |
|---|------------|-----------|
| <b>Operations</b>                                     |            |           |
| <b>Chirano (Ghana)</b>                                |            |           |
| Mining Method: Open Pit and Underground               |            |           |
| Processing Method: Carbon-in-leach                    |            |           |
| Employees   | 807        | 425       |
| Ore Processed (Tonnes) <sup>21</sup>                  | 3,215,000  | 1,028,000 |
| Attributable Gold Production (Gold equivalent ounces) | 236,000    | 80,298    |
| <b>Tasiast (Mauritania)</b>                           |            |           |
| Mining Method: Open Pit                               |            |           |
| Processing Method: Carbon-in-leach, heap leaching     |            |           |
| Employees   | 1,130      | 689       |
| Ore Processed (Tonnes) <sup>22</sup>                  | 11,453,000 | 2,059,000 |
| Attributable Gold Production (Gold equivalent ounces) | 200,619    | 56,611    |

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

### Safety (100% basis)

|   |      |      |
|---|------|------|
| Fatalities (Number)                     |      |      |
| Chirano                                 | 0    | 0    |
| Tasiast                                 | 0    | 0    |
| Tasiast Expansion and Exploration       | 0    | 0    |
| Lost-time Injury Frequency Rate         |      |      |
| Chirano                                 | 0.06 | 0.26 |
| Tasiast                                 | 0.82 | 0.00 |
| Tasiast Expansion and Exploration       | 0.93 | 0.00 |
| Restricted Work Activity Frequency Rate |      |      |
| Chirano                                 | 0.66 | 0.26 |
| Tasiast                                 | 0.11 | 0.00 |
| Tasiast Expansion and Exploration       | 0.16 | 0.00 |
| Medical Treatment Frequency Rate        |      |      |
| Chirano                                 | 0.63 | 1.43 |
| Tasiast                                 | 0.38 | 2.44 |
| Tasiast Expansion and Exploration       | 0.16 | 0.00 |

<sup>20</sup> Data for environmental performance for Tasiast and Chirano is reported beginning with the fiscal year 2011. Data for 2010 is subsequent to the close of the Red Back acquisition on September 17, 2010.

<sup>21</sup> Represents Kinross' share of ownership in Chirano (90%).

<sup>22</sup> Represents 100% basis of tonnes of ore processed.

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

|  | 2011      | 2010    |
|--|-----------|---------|
| <b>Environmental</b>   |           |         |
| <b>General (100% basis)</b>  |           |         |
| Number of Regulatory Actions   |           |         |
| Chirano  | 0         | 0       |
| Tasiast  | 0         | 0       |
| Fines Paid   |           |         |
| Chirano  | 0         | 0       |
| Tasiast  | 0         | 0       |
| Number of Reportable Releases  |           |         |
| Chirano  | 1         | 1       |
| Tasiast  | 6         | 1       |
| <b>Energy/Greenhouse Gas</b>   |           |         |
| Total Energy Consumption in Gigajoules                                   |           |         |
| Chirano  | 1,102,000 | 136,000 |
| Tasiast  | 1,884,000 | 353,000 |
| Direct Energy Consumption in Gigajoules                                  |           |         |
| Chirano  | 719,000   | 10,000  |
| Tasiast  | 1,884,000 | 353,000 |
| Indirect Energy Consumed in Gigajoules                                   |           |         |
| Chirano  | 383,000   | 126,000 |
| Tasiast  | 0         | 0       |
| Energy Consumed per Tonne Ore Processed<br>(Megajoules/Tonne)            |           |         |
| Chirano  | 343       | 137     |
| Tasiast  | 165       | 162     |
| Greenhouse Gas Emissions (Tonnes)  |           |         |
| Chirano  | 114,000   | 21,000  |
| Tasiast  | 138,000   | 26,000  |
| Greenhouse Gas Emissions per Tonne of Ore Processed<br>(Kilograms/Tonne) |           |         |
| Chirano  | 36        | 21      |
| Tasiast  | 12        | 12      |



# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

|  | 2011      |
|--|-----------|
| <b>Environmental (continued)</b>                                 |           |
| <b>Water Use</b>   |           |
| Total Water Withdrawn – Groundwater (m <sup>3</sup> )            |           |
| Chirano  | 129,000   |
| Tasiast  | 0         |
| Total Water Withdrawn – Surface Water (m <sup>3</sup> )          |           |
| Chirano  | 727,000   |
| Tasiast  | 0         |
| Total Water Withdrawn – Precipitation Captured (m <sup>3</sup> ) |           |
| Chirano  | 1,080,000 |
| Tasiast  | 0         |
| Total Water Withdrawn – Salt/Brackish Water                      |           |
| Chirano  | 0         |
| Tasiast  | 3,855,000 |
| Recycled Water (Percentage of Total Water Withdrawn)             |           |
| Chirano  | 183       |
| Tasiast  | 224       |
| Total Water Consumed in Ore Processing (m <sup>3</sup> )         |           |
| Chirano  | 1,807,000 |
| Tasiast  | 2,283,000 |
| Water Consumed per Tonne of Ore Processed (Litres/Tonne)         |           |
| Chirano  | 562       |
| Tasiast  | 199       |
| Total Water Discharged – Groundwater (m <sup>3</sup> )           |           |
| Chirano  | 0         |
| Tasiast  | 0         |
| Total Water Discharged – Surface Water (m <sup>3</sup> )         |           |
| Chirano  | 157,000   |
| Tasiast  | –         |
| <b>Land Status (100% basis)</b>                                  |           |
| New Reclamation (hectares)                                       |           |
| Chirano  | 0         |
| Tasiast  | 0         |
| Previously Reclaimed (hectares)                                  |           |
| Chirano  | 0         |
| Tasiast  | 0         |
| New Disturbance (hectares)                                       |           |
| Chirano  | 128       |
| Tasiast  | 2,990     |
| Previously Disturbed & Unreclaimed (hectares)                    |           |
| Chirano  | 0         |
| Tasiast  | 345       |
| Protected Habitat (hectares)                                     |           |
| Chirano  | 1,562     |
| Tasiast  | –         |

# 2011 Data tables

## REGIONAL PERFORMANCE STATISTICS – WEST AFRICA

|  | 2011       |
|--|------------|
| <b>Environmental (continued)</b>               |            |
| <b>Significant Materials Use</b>               |            |
| Diesel Fuel (m <sup>3</sup> )                  |            |
| Chirano  | 20,200     |
| Tasiast  | 40,400     |
| Heavy Fuel Oil (m <sup>3</sup> )               |            |
| Tasiast  | 10,000     |
| Cyanide (Tonnes as CN)                         |            |
| Chirano  | 353        |
| Tasiast  | 1,903      |
| Lime (Tonnes)                                  |            |
| Chirano  | 3,884      |
| Tasiast  | 22,769     |
| Blasting Agents (Tonnes)                       |            |
| Chirano  | 4,479      |
| Tasiast  | 7,853      |
| <b>Wastes</b>                                  |            |
| Waste Rock Mined (Tonnes)                      |            |
| Chirano  | 19,411,000 |
| Tasiast  | 38,741,000 |
| Tailings Produced (Tonnes)                     |            |
| Chirano  | 4,573,000  |
| Tasiast  | 2,600,000  |
| Hazardous Waste Disposed On Site (Tonnes)      |            |
| Chirano  | 0          |
| Tasiast  | 0          |
| Hazardous Waste Disposed Off Site (Tonnes)     |            |
| Chirano  | 327        |
| Tasiast  | 0          |
| Non-hazardous Waste Disposed On Site (Tonnes)  |            |
| Chirano  | 341        |
| Tasiast  | 0          |
| Non-hazardous Waste Disposed Off Site (Tonnes) |            |
| Chirano  | 0          |
| Tasiast  | 0          |